

FIG. 1






FIG. 2A




FIG. 2B




FIG. 3A

40

FILE PUBLICATION

FILE WILL BE PUBLICIZED ON SERVER.
PLEASE DESIGNATE PUBLIC FILE AND PRESS [SEND] BUTTON.

PUBLIC FILE (F) : C:\My Documents\aaa.html

42

44

SEND

REFERENCE

CANCEL

46

DIAL-UP CONNECTION

DIAL-UP CONNECTION WILL BE PERFORMED.
PLEASE INPUT CONNECTION DESTINATION, USER NAME,
AND PASSWORD.

48

CONNECTION DESTINATION (N) : aaa

50

USER NAME (U) : abc123456

52

PASSWORD (P) : *****



FIG. 3B




FIG. 4A

62

PROPERTY OF FTP

SETTING OF CONNECTION SETTING OF FTP

FTP SERVER IS SET.

☐ SUBSCRIBER OF @nifty (N)

SUBSCRIBER OF @nifty SHOULD APPLY FOR @homepage BY
 THE HOMEPAGE OF @nifty, THEN PRESS [AUTO GET] BUTTON.

☐ SUBSCRIBER OF OTHER PROVIDER (P)

SUBSCRIBER OF OTHER PROVIDER SHOULD PRESS
 [DETAILS SET] BUTTON, THEN SET DETAILED INFORMATION
 OF FTP SERVER.

{64} AUTO GET (H)

{66} DETAILS SET (D)

OK CANCEL

FIG. 4B

70

FTP DETAILS

FTP SERVER NAME (S) :FTP ACCOUNT (A) :FTP PASSWORD (P) :HOMEPAGE URL (U) :HOMEPAGE FOLDER (F) :PATH OF PERL (D) :SELF-CREATION CGIURL (C) :SELF-CREATION CGI FOLDER (G) :

CLOSE

FIG. 4C




FIG. 4D

96

FTP DETAILS	
FTP SERVER NAME (S) :	ftp. aaa. com ~72
FTP ACCOUNT (A) :	abc123456 ~74
FTP PASSWORD (P) :	***** ~76
Homepage URL (U) :	http://www. aaa. com/abc123456/ ~78
Homepage Folder (F) :	public ~80
Path of Perl (D) :	/usr/bin/perl ~82
Self-creation CGIURL (C) :	http://www. aaa. com/cgi-bin/ ~84
Self-creation CGI Folder (G) :	cgi-bin ~86
<input type="button" value="CLOSE"/>	

FIG. 5

95

```
<META HTTP-EQUIV="Content-type" CONTENT="text/html; char=x-sjis">  
<HTML>  
<BODY>  
  AHP PROFILE V1.0<BR>  
  FTP-SVR:ftp.aaa.com<BR>  
  FTP-ACC:abc123456<BR>  
  FTP-PASS:AAABBBCCC<BR>  
  HOMEDIR:public<BR>  
  CGIDIR:cgi-bin<BR>  
  HOMEURL:http://www.aaa.com/abc123456/<BR>  
  CGIURL:http://www.aaa.com/abc123456/cgi-bin/<BR>  
  PERLPATH:/usr/bin/perl<BR>  
</BODY>  
</HTML>
```

FIG. 6




FIG. 7

